## Amendments to the Claims:

This listing of the claims will replace all prior versions and listings of claims in the present application.

## **Listing of the Claims:**

Claims 1-16. (Canceled).

17. (Currently Amended) A method for configuring a computer program including at least one functional unit, comprising:

at least one of:

creating at least one implementation-independent configuration data file, and altering information filed in the at least one implementation-independent configuration data file;

using a computer script, at least one of automatically setting-up and automatically updating configuration data, stored in a configuration data container, as a function of the information filed in the at least one implementation-independent configuration data file;

automatically generating at least one item of dependency information describing at least one of:

whether a particular resource is reserved exclusively for use by the least one functional unit, which comprises a software module in the computer program; and a dependency between abstract configuration data and concrete configuration data;

a sequence in which additional computer scripts, which alter the configuration data stored in the configuration data container, must be executed; and

a relationship between a hardware component and the configuration data stored in the configuration data container;

automatically generating at least one implementation-dependent configuration data file as a function of the configuration data stored in the configuration data container, and as a function of the at least one item of dependency information; and

automatically configuring the at least one functional unit as a function of information filed in the at least one implementation-dependent configuration data file, wherein each of the automated steps above are performed at a processor of a computer.

18. (Canceled)

19. (Previously Presented) The method as recited in Claim 17, further comprising: creating a plurality of implementation-independent configuration data files; and assigning each of the implementation-independent configuration data files to the at least one functional unit.

20. (Previously Presented) The method as recited in Claim 17, further comprising: generating a plurality of implementation-dependent configuration data files, and assigning each of the implementation-dependent configuration data files to the at least one functional unit.

- 21. (Previously Presented) The method as recited in Claim 20, wherein the at least one implementation-dependent configuration data file is generated as a function of at least one property of hardware on which an installation of at least a portion of the configured computer program is to be made possible.
- 22. (Previously Presented) The method as recited in Claim 20, wherein the at least one implementation-dependent configuration data file is generated as a function of a result of a plausibility check in which it is determined:

whether the hardware is capable of providing data required by the at least one functional unit; and

whether a resource required by the at least one functional unit is available.

23. (Canceled)

24. (Previously Presented) The method as recited in Claim 20, further comprising:

automatically creating a documentation that describes the information filed within at least one of the at least one implementation-independent configuration data file and the at least one implementation-dependent configuration data file.

- 25. (Previously Presented) The method as recited in Claim 17, wherein the at least one implementation-independent configuration data file is created in an XML-based format.
- 26. (Previously Presented) The method as recited in Claim 17, further comprising: automatically determining, as a function of the configuration data, whether a functional unit included by the computer program is needed by the computer program, wherein the functional unit is only configured if the functional unit is needed by the computer program.
- 27. (Currently Amended) A non-transitory computer readable storage medium storing a software system for configuring a computer program including at least one functional unit, the software system comprising:

at least one implementation-independent configuration data file; at least one of:

a configuration data container including configuration data, and an arrangement for creating the configuration data container as a function of information filed in the at least one implementation-independent configuration data file;

an arrangement that includes a computer script for at least one of altering and reading out configuration data from the configuration data container;

an arrangement for automatically generating at least one item of dependency information describing at least one of:

whether a particular resource is reserved exclusively for use by the least one functional unit, which comprises a software module in the computer program; and a dependency between abstract configuration data and concrete configuration data;

a sequence in which additional computer scripts, which alter the configuration data stored in the configuration data container, must be executed; and

> a relationship between a hardware component and the configuration data stored in the configuration data container;

an arrangement for automatically generating at least one implementation-dependent configuration data file as a function of configuration data stored in the configuration data container, and as a function of the at least one item of dependency information; and

an arrangement for automatically configuring the at least one functional unit as a function of information filed in the implementation-dependent configuration data file.

28. (Previously Presented) The storage medium as recited in Claim 27, the software system further comprising:

an arrangement for at least one of:

creating the at least one implementation-independent configuration data file, and

altering information filed in the at least one implementation-independent configuration data file;

an arrangement for at least one of automatically setting-up and automatically updating configuration data, stored in the configuration data container, as a function of the information filed in the at least one implementation-independent configuration data file;

an arrangement for automatically generating at least one implementation-dependent configuration data file as a function of the configuration data stored in the configuration data container; and

an arrangement for automatically configuring the at least one functional unit as a function of information filed in the at least one implementation-dependent configuration data file.

## 29. (Canceled).

30. (Previously Presented) The storage medium as recited in Claim 27, wherein the storage medium is one of a random access memory, a read-only memory, and a flash memory.

- 31. (Previously Presented) The storage medium as recited in Claim 27, wherein the storage medium is one of a digital versatile disk, a compact disk, and a hard disk.
- 32. (Currently Amended) A computing element having a microprocessor and being programmed with software that when executed results in a performance of the following: at least one of:

creating at least one implementation-independent configuration data file, and altering information filed in the at least one implementation-independent configuration data file;

using a computer script, at least one of automatically setting-up and automatically updating configuration data, stored in a configuration data container, as a function of the information filed in the at least one implementation-independent configuration data file;

automatically generating at least one item of dependency information describing at least one of:

whether a particular resource is reserved exclusively for use by the least one functional unit, which comprises a software module in the computer program; and a dependency between abstract configuration data and concrete configuration data;

a sequence in which additional computer scripts, which alter the configuration data stored in the configuration data container, must be executed; and

a relationship between a hardware component and the configuration data stored in the configuration data container;

automatically generating at least one implementation-dependent configuration data file as a function of the configuration data stored in the configuration data container, and as a function of the at least one item of dependency information; and

automatically configuring the at least one functional unit as a function of information filed in the at least one implementation-dependent configuration data file.

33. (Previously Presented) The computing element as recited in Claim 32, wherein the computing element corresponds to a control device.